

KN

Marketing description

CLIMAVER® is a glasswool based pre-insulated duct system for air-conditioning, ventilation and heating and cooling systems. CLIMAVER® offers superior acoustic comfort, thermal performance and high level of airtightness to keep your air fresh and making the system energy efficient.

CLIMAVER® Neto reduces noise levels generated by fans and air-conditioning units providing superior acoustic comfort to the building occupants.

CLIMAVER® is highly absorbent, including at low frequencies, where the problem of noise generated by the AHU or ventilation machine is greater

Typical example: Acoustic attenuation in dB for 5m of 400x200mm duct

Product	Frequency (Hz)				
	125	250	500	1000	2000
Metal duct	2	2	7.5	7.5	3
CLIMAVER® Plus	8.5	8.5	8.5	38.5	30
CLIMAVER® Neto	18	43	52.5	62.54	68

- Increases the level of acoustic comfort of your buildings
- No need for additional acoustic insulation liners inside the ducts
- No need for silencers or sound attenuators (depends on system design)

Packaging

Articles information

Name	Thml resistance	Packaging (Board)	Thickness (mm)	Width (m)	Lenght (m)
CLIMAVER neto® KW 0.71	0.71	7	25	1.2	2.95

Edited on 07.07.2022

CLIMAVER neto®

www.kimmco-isover.com

KN